

New Vaccine Requirements for Students in Middle School

Tdap Fact Sheet for Parents



Parents of Middle School Students:

Changes in the Wisconsin Student Immunization law now require a dose of Tdap vaccine in students entering the 6th grade. Parents are required to have their children vaccinated or claim a waiver. Use the attached Student Immunization Record to record the date(s) of immunization(s) or claim a waiver.

1. What grades are affected and what vaccines are required?

The following is required:

Students entering
Grades 6 through 12

Vaccine
Tdap (1 dose)

Tdap is the adolescent combination vaccine that protects against tetanus, diphtheria, and pertussis (whooping cough). Only one dose is required.

2. What do parents need to do?

Have your child vaccinated with Tdap vaccine if he or she has not already received the vaccine(s). Record the date(s) of the immunization(s) in the bold outlined box(s) on the enclosed Student Immunization Record, sign it and return it to your child's school. Be sure to add the Tdap date to the permanent immunization record you keep for your child at home. In the future, your child may need to give these dates to other schools, colleges or employers.

To claim a waiver for health, religious or personal conviction reasons, follow the instructions on the Student Immunization Record and return the signed form to your child's school.

3. Are there exceptions to the Tdap vaccine requirements?

Yes. If your child had received a tetanus-containing vaccine (such as Td vaccine after an injury) within the last 5 years of entering the grade it is required, your child is compliant and Tdap vaccine is not required. Check the box marked "Td" on the Student Immunization Record, enter the date it was received and return the signed form to school.

4. If my child meets the Tdap requirement will he or she need to get another dose in a different grade in school?

No. When a child meets the vaccine requirements for the grade to which the requirements apply (i.e., receives the vaccine or does not receive the vaccine because of an exception (see #3 above), no further doses are required. For example, if a child received a dose of Td vaccine because of an injury within 5 years of entering 6th grade, that child has met the Tdap requirement (even though s/he has not actually received Tdap vaccine) and will not be required to receive Tdap vaccine now or in a future grade.

5. If my child already had pertussis (whooping cough) disease, should he or she still get the Tdap vaccine?

Children who have had pertussis disease should receive Tdap because the length of protection provided by disease is unknown and because the diagnosis can be difficult to confirm. A previous history of pertussis is not an exception to the Tdap requirement.

6. Where can I get Tdap and/or varicella vaccine for my child?

These vaccines are available from your child's doctor or local health department. Please have your child immunized well in advance of school opening to avoid the late summer rush at doctor's offices and immunization clinics.

7. Why are these requirements being made?

From 1986 through 2004, Wisconsin had the 5th highest rate of pertussis in the nation with almost 5,000 cases being reported in 2004 alone. During 2012 Wisconsin experienced another outbreak of pertussis; more than 4,000 cases were reported to the Wisconsin Division of Public Health. Pertussis outbreaks occur because protection declines 5-10 years after completion of childhood DTP/DTaP vaccinations. Tdap is a new vaccine that is recommended for adolescents and is anticipated to help prevent pertussis from occurring, including pertussis outbreaks in schools. Pertussis is a serious disease, particularly in young infants, and it can place a significant burden on families, as a person with pertussis must stay home from work and school for a minimum of 5 days of antibiotic treatment.

DEPARTMENT OF HEALTH SERVICES
DIVISION OF PUBLIC HEALTH
BUREAU OF COMMUNICABLE DISEASES AND EMERGENCY RESPONSE
IMMUNIZATION PROGRAM
P-00039 (Rev. 07/13)

STUDENT IMMUNIZATION LAW AGE/GRADE REQUIREMENTS 2014 SCHOOL YEAR and Beyond

The following are the minimum required immunizations for each age/grade level. It is not a recommended immunization schedule for infants and preschoolers. For that schedule, contact your doctor or local health department.

Age/Grade	Number of Doses					
Pre K (2 yrs through 4 yrs)	4 DTP/DTaP/DT ²	3 Polio	3 Hep B	1 MMR ⁵	1 Var ⁶	
Grades K through 5	4 DTP/DTaP/DT/Td ^{1,2}	4 Polio ⁴	3 Hep B	2 MMR ⁵	2 Var ⁶	
Grades 6 through 12	4 DTP/DTaP/DT/Td ²	1 Tdap ³	4 Polio ⁴	3 Hep B	2 MMR ⁵	2 Var ⁶

1. DTP/DTaP/DT vaccine for children entering Kindergarten: Your child must have received one dose after the 4th birthday (either the 3rd, 4th, or 5th dose) to be compliant. (Note: a dose 4 days or less before the 4th birthday is also acceptable).
2. DTP/DTaP/DT/Td vaccine for all students Pre K through 12: Four doses are required. However, if your child received the 3rd dose after the 4th birthday, further doses are not required. (Note: a dose 4 days or less before the 4th birthday is also acceptable).
3. Tdap means adolescent tetanus, diphtheria and acellular pertussis vaccine. If your child received a dose of a tetanus-containing vaccine, such as Td, within 5 years of entering the grade in which Tdap is required, your child is compliant and a dose of Tdap vaccine is not required.
4. Polio vaccine for students entering grades Kindergarten through 12: Four doses are required. However, if your child received the 3rd dose after the 4th birthday, further doses are not required. (Note: a dose 4 days or less before the 4th birthday is also acceptable).
5. The first dose of MMR vaccine must have been received on or after the first birthday (Note: a dose 4 days or less before the 1st birthday is also acceptable).
6. Var means Varicella (chickenpox) vaccine. A history of chickenpox disease is also acceptable.

